

Fatin Konstrusaun

동티모르



Prevensaun Monu[💡]

| Livru Kartaun |



고용노동부

산업재해예방

안전보건공단



[Jestaun seguransa ba patraun sira no regulamentu seguransa ba traballadór sira]

✓ Jestaun ba seguransa halo husi patraun sira

- » Fornese ekipamentu protesaun pesoál adaptadu ba kondisaun servisu nian
- » Instala lutu-besi seguransa, moru, no kobre fatin sira ne'ebé iha risku monu ba traballadór sira, hanesan andame no kuak/abertura sira.
- » Mantein seguru rai-hali'is sira no instala superte ba aseguara rai iha fatin eskavasaun/kee iha rai

✓ Regulamentu seguransa ba traballadór hodi kumpri

- » Uza ekipamentu protesaun ne'ebé fó husi patraun sira
- » Labele hasai aparellu protesaun sira, no relata ba patraun sira bainhira buat sira ne'e la funsiona
- » Asaun seguransa oinoin ne'ebé fó instrusaun husi patraun sira (guia ekipamentu, kumpri ho limite velocidade, nst.)



Buat boot tolu regulamentu seguransa nian ne'ebé tenki tau iha hanoin

- ① Foti asaun prevene **monu sira** !
- ② Foti asaun prevene bainhira **hetan hanchan** !
- ③ Fornese no uza **ekipamentu protesaun** importante no halo inspesaun ba buat sira ne'e karik preziza!

[Sinais sira relasionadu ba konstrusaun]



P009

Labele sa'e



P025

Labele uza andame
la kompletu ne'e



W035

Avizu ba objetu
monu sira



W015

Avizu
todan liu



M018

Uza seguransa
kabresi



M014

Uza protesaun ulun



Lakon balansu no monu bainhira instala uma leten ida fábrica nian

Kauza

- » La instala andame sira
- » La uza sintu seguransa ida

Medida preventiva sira

- » Instala andame no uza sintu seguransa
- » Instala rede protesaun ba monu nian iha parte badak liu husi uma leten

● Fator risiko xave



- ▶ Material uma leten sira ne'ebé aat durante servisu iha uma leten (uma leten loron manas)



- ▶ La instala rede proteasaun monu nian

● Oinsá atu halo servisu ho seguru



- ▶ Instala andame no uza sintu seguransa



- ▶ Instala rede proteasaun monu nian no uza sintu seguransa



Kois no monu bainhira halo hela servisu moru liur iha andame nian

Kauza

» Labele instala lutu protesoun

**Medida
preventiva
sira**


» Instala lutu-besi iha rohan ho firme

» Uza kapasete seguransa no sintu seguransa

Fator risiko xave




- Andame la instala ho di'ak




- Labele instala lutu protesaun

Instalasaun andame no lutu-besi ho estrutura ne'ebé seguru



- Instala andame ida ne'ebé forte



- Estrutura husi lutu-besi ne'ebé seguru



Monu liu husi kuak/abertura ida bainhira hiit materiál sira

Kauza

- » La foti asaun preventiva monu nian liu husi kuak/abertura ida

Medida preventiva sira

- » Instala kobertura ka lutu-besi ba kuak/abertura ruma
- » Instala sinál avizu sira

● Fator risiko xave



► Kobertura ida ne'ebé la instala ho di'ak



► Labele instala lutu protesaun

● Foti asaun ne'ebé seguru ba kuak/abertura sira



► Instala kobertura ne'ebé forte ba kuak/abertura ruma



► Instala lutu-besi no sinál avizu sira



Monu husi eskada ne'ebé aat bainhira instala ahi-oan seguransa sira.

Kauza

» Uza eskada sein gatillu

Medida preventiva sira

- » Instala estabilizadór ida no uza kapasete seguransa
- » Servisu iha grupu ho ema nain rua bainhira servisu iha eskada ida

Matadalan ba servisu ne'ebé seguru iha eskada ida



- ▶ Uza de'it tipu eskada ida ba servisu ahi-naroman nian ne'ebé maka tenki uza duni eskada.



- ▶ Instala eskada ida iha terenu ne'ebé metin no lakois.



- ▶ Uza kapasete seguransa bainra servisu iha eskada ida
- ▶ Uza sintu seguransa bainra servisu iah altura 2 m ka liu



- ▶ Karik servisu iha altura 1.2m to'o menus husi 2m, servisu ne'e presiza halo ho grupu ho ema nain rua, no servisu iha husi leten ne'e proibidu
- ▶ Karik servisu iha altura 2m to'o 3.5m, servisu ne'e presiza halo ho grupu ho ema nain rua, no servisu ida iha leten no servisu uza etapa ida iha sesaun okos husi ne'e proibidu
- ※ Servisu iha altura liu **3.5m** ne'e proibidu



Monu husi andame móvel bainhira monta kuadru besi

Kauza

» La instala lutu-besi seguransa sira, nst. Iha andame móvel ne'e

Medida preventiva sira


- » Instala lutu-besi seguransa no estabilizadór
- » Uza sintu seguransa ida bainhira servisu iha fatin aas

● Fator risku xave



- La instala lutu protesaun
- Asaun ida atu hasai an rasik

● Estrutura andame móvel ne'ebé seguru





Oinsá uza sintu seguransa




- ▶ Tau ain rua ba iha sintu seguransa no hi'it sa'e.




- ▶ Tau sintu seguransa iha kabas rua ne'e hotu

Hametin sintu seguransa ba facilidade instalasaun fixu (ezemplu., servisu tara andame ida)





- ▶ Aperta liña peitu
ho metin



- ▶ Verifika ba buat sira
ne'ebé la normal ho
kondisaun husi hatais nian

● Oinsá uza kapasete seguransa



- ▶ Hametin kapasete nia
talin iha ita-nia keixu
ho firme



- ▶ Ajusta apoiu ba ulun

Klasifikasaun	Nú.	Konteudu inspesaun nian	Rezultadu inspesaun
Asegura koredór ne'ebé seguru	1	Karik pasájen seguransa ne'e protejidu no karik kondisaun uzu sei nafatin mantein hela	
	2	Kondisaun marka pasájen nian hanesan sinál seguru besik pasájen ne'e	
Prevene monu husi andame	3	Estrutura andame no kondisaun instalasaun nian	
	4	Kondisaun instalasaun roda-fatin ne'ebé seguru iha andame nia rohan	
	5	Kondisaun instalasaun husi rede proteasaun monu nian	
Prevene monu durante servisu kuadru besi nian	6	Kondisaun instalasaun husi elevadór nian	
	7	Kondisaun instalasaun husi fasilidade ne'ebé tau ba rede proteasaun monu no sintu seguransa	
	8	Verifika buat sira ne'ebé ladún normal ho sintu seguransa no fasilidade apoia sira	
Prevene monu durante servisu uma leten nian	9	Kondisaun instalasaun andame ida ho luan 30cm ka liu	
	10	Kondisaun instalasaun husi rede proteasaun monu iha sesaun badak	
	11	Se lutu-besi proteasaun seguransa iha uma leten nia rohan ne'e instaladu ona	
Prevene monu ba abertura	12	Kondisaun instalasaun asaun proteasaun hanesan lutu-besi seguransa, moru, no kobertura sira	
	13	Kondisaun instalasaun husi fasilidade hodi tau rede ba proteasaun monu no sintu seguransa bainhira sobu roda-fatin, nst.	
Ekipamentu proteasaun pesoál ba proteasaun monu (kapasete seguransa no sintu seguransa)	14	Karik ekipamentu proteasaun pesoál uza loloos duni.	
Asaun sira seluk ba proteasaun monu	15	Kondisaun husi instalasaun ba fasilidade seluk ba prevensaun monu nian	